

Round Bar 1.500" Dia. material: AISI 41.40 STEEL ROUND BAR PER AISI 41.40 1.40 STEEL ROUND BAR PER AISI 41.40 STEEL ROUND BA	PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplie Name
Bar 0.500*** x 4.000***:  MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE	PO038315		1	1	COD		Leaded Steel Round Bar 1.500*** Dia. material: AISI 41L40 STEEL ROUND BAR PER AISI				12	11/17/2017	12		\$011027	Stock	11/17/2017	\$ 39.00 / R	0	0	\$468.00	Metaux Solution
			2		0.		Bar 0.500"" x 4.000"" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE				3		U <sup>s</sup>		S011028	Stock	11/17/2017	\$ 131.67 / ft	0	0		Metaux Solutions

Play 11/17/2017 3:35 PM Dart Plauffe Sonia

METAUX SOLUTIONS INC Order : 130371 2625 BOUL JACQUES CARTIER EST Reference : 38315 LONGUEUIL, QUEBEC Tel.: 450 641-3330 Bid : 24929 J4N 117 Ship # PICK UP / PICK UP Customer: 6323336 Ship To DART AEROSPACE LTD 1270, ABERDEEN STREET Same HAWKESBURY, ONTARIO Tel.: 1613632-3336 K6A 1K7 Otv. Deliver B/O Qty item No. Description Oty \*\*\*\*\*\*\* FACTURER E-MAIL \*\*\*\*\*\*\*\* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N \*\*\*\*\*\*\* FACTURER E-MAIL \*\*\*\*\*\*\*\* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N FACTURER E-MAIL \*\*\*\*\*\*\*\* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N MR11241L 41L40 ANN ROU 1.500 DIA. 1 X 12 \*\*\*\*\* 1182713 303 PLT 500 X 4 X 36 ap124363 1 FC \*\*\*\*\*\*\* ht:266250 ship journey collect 

Ref. :

Shipping Order

15/11/2017

5.1 . 8

Puckage No : \_\_\_\_\_ Merchandise Received:

Shipping Order

15/11/2017

METAUX SOLUTIONS INC

Customer: 6323336

2625 BOUL JACQUES CARTIER EST

LONGUEUIL, QUEBEC

J4N 1L7

Tel.: 450 641-3330

Reference

: 130371 : 38315

Bid

Order

: 24929

Ship

: PICK UP / PICK UP

Ship To

Same

Tel.: 1 613 632-3336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7

Item No. Description Qty Qty. Deliver B/O Oty \*\*\*\*\*\*\* FACTURER E-MAIL \*\*\*\*\*\*\*\* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N \*\*\*\*\*\*\* FACTURER E-MAIL \*\*\*\*\*\*\*\* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N \*\*\*\*\*\*\* FACTURER E-MAIL \*\*\*\*\*\*\*\* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N MR11241L 41L40 ANN ROU 1.500 DIA. 1 X 12' \*\*\*\*\* ht;182713 sp124363 303 PLT ,500 X 4 X 36 1 PC \*\*\* ht:266250

ship journey collect

Kertherson Nov 16-17

Ref.

Package No : \_\_\_\_\_\_ Merchandise Received:

Shipping

# CERTIFICATE OF TEST CERTIFICAT D'ESAIS



Page 01 of 02

Certification Date 14-NOV-2017

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

43598-JT PART NUMBER/NUMÉRO DE PIÈCE



Invoice Number T372678

506116

SOLD TO: VENDU A:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL OC J4N 1L7

2625 BOUL JACQUES CARTIER EST LONGUEUIL OC J4N 1

Description: 41L40 042 CF ANN BAR ASTM A331 1-1/2 RD X 12

(182713

ITEM: 506116

Line Total: 73 LB

Specifications:

ASTM A331 \* ASTM A304 11

MIC 2016 1 12

ASTM A255 10

ASTM E112 13 ASTM A388/A388M 15

AMS 2750

\*WITHDRAWN SPEC

ASTM A322 13 MIC 2016 ADD 71 10

ASTM E45 13

ASTM E381 06 AMS MIL H 6875

API 6A ANNEXE M

ASTM A108 13

ASTM A29/A29M E1 12

EN 10204 3.1 04

ASTM E10 15

ASTM E709 14 AMS MIL STD 1684

CHEMICAL ANALYSIS

C MN · P SI

0.019

0.026

CR 1.02 0.15

V. 0.006

0.42

0.21

0.96

AL

SN

0.17

0.028

0.012

PB 0.15/0.35 0.0004

CA

0.0001

RCPT: R174132

COUNTRY OF ORIGIN : SPAIN

MECHANICAL PROPERTIES

DESCRIPTION

YLD STR ULT TEN

%ELONG

%RED

HARDNESS

IN AREA

BHN

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. ./Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du mamifacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

june heaprei

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

# CERTIFICATE OF TEST CERTIFICAT D'ESAIS



Page 02 of 02

Certification Date

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

43598-J PART NUMBER/NUMÉRO DE PIÈCE

Invoice Number T372678

506116

SOLD TO: VENDU À: METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL OC J4N 11.7

2625 BOUL JACQUES CARTIER EST LONGUEUIL OC J4N 1

Description: 41L40/42 CF ANN BAR ASTM A331 1-1/2 RD X 12' R/L Line Total: 73 LB HEAT: 182713 ITEM: 506116 END-QUENCH HARDENABILITY (JOMINY - RC) 4 1 2 3 5 6 8 10 11 12 13 14 15 57 57 56 56 56 55 55 54 54 50 49 47 16 20 22 24 26 28 30 32 43 42 41 41 40 40

GRAIN SIZE :7 -

CLEANLINESS

		A	]	В		C	D		
	THIN	THICK MAX	THIN MAX	THICK MAX	THIN MAX	THICK MAX	THIN MAX	THICK MAX	
e45	2.0	0.5	2.0	0.5	0.0	0.0	0.5	0.0	

VACUUM DEGASSED MATERIAL IS FREE FROM MERCURY CONTAMINATION

NO WELD REPAIR PERFORMED ON MATERIAL

EDDY CURRENT: YES ULTRASONIC: YES

MACRO: OK MICRO1: OK

COMMENTS

red. ratio 27,2

free from radioactive contamination

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

carne Lesprei

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

# Acciaierie a Valbruna s.p.A.







CERTIFICATO DI COLLAUDO **ABNAHMEPRUEFZEUGNIS** INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004), 3.1

36103 WCENZA (Raila) - Viale della scienza, 25 z 1. Teleiono 0444.968211 - Fax 8444,553835 Stab.: 39109 BOLZANO (Halia) - Via A. Velta, 4/37 Telefonio 0471,924111 - Fax 0471,924497

Produttorn: ACCIAIERIE VALBRUNA S.P.A.

State di fernitura: Hot relied Descaled Annealed Hot relied bescaled Annealed Hot refield plants are

GUALIT MANAGENERI STREM CERTIFIED BY LLOYD S RESTREA

Awaso di Spedizione:

Lock to the Special Principle D-VI15019974

Ordine nt. 43992 Same? Yeur area: Cornerando

Tipo di Etaboraziono: E÷AOD Britchmolering spict Wolfing green stations is distributed Certificato nr: MEST722816/2015/ Pratump forth som

Conferma ordina nr. El15001529

VicercalCus Ottom Refier Marchio di Fabbrica: "

Zulanan das bleitstembrists Trace or all Style de l'altre productor

Punzane del Collaudatore: Stempel des Wardeselberielber ger Inspector's stamp Palaten de Linguijens

AMS 5340 U S30300 A

Specificity: Antonioningen / Requestioner / Engances

Postation formation and state

VSI 0 303 A

AMS 5640 U TYPE I A

ASTM A320 2011A BSF CLASS1

MIL-S-862 8/: 303

MISSOTION & PTA 2013 SERVICE

Qualità. T-303 Werker Difference State of the AJSI 303

ASME SA320 2013 98F CLASS1 (0)

ASTM A370 2014 .

QQ-S-754 B/2 303 A

ASTM A314 2008 \$30300 ASTM A582 2012 \$30300 A

Marca; Marcalesache: Grandriver pp	AU188Z/P	Todorbara: ASTM A484-14a Tetararakkanterfolyango	Penzonatura: 303 Zermeechnungittarkingittarausgo								
Pos. nr. Prace, tames, tr. se pour	Organia Grant arrayation Organia	Diasenstors - in  Adversing on Emersor Emersor	Lunghezze - In	Colsia falledo 14s Corto	Petti subum Pass Fass	Paso - LB	Lobo of.				
0080	Flat	4,0000 x 0,5000	144/ 152	266250		3.252	504403260				

	Test	on deth		Alon Priorun	g auf lleferbaroll		esta l'eust			schre et mas	nisi esi conte entreg	ado
TEST	Frozelta Polares Gentum figures Linguam figure Mata Corn. Dela Mill. Con Theorem Long James pan	۰F	Posts. Sagge Change then change		Speriamento Speriamento Speriamento Speriamento Speriamento		Allung	ements viere par- E 4d	Fold Bold	ZORE	Resilienze Fonal aj frat Romayana Parlam	Durezza haren Santa HB
Adenti s	ri richiesti Statemet Has Promuses		nin ax	30	**	75	•	35		50		140 241
Λ	12.5	62	1 1	38		81		67	-	71		163

	TEST ALLO STATO	FORNITURA		
Teste	n delivery condition / Prüelung auf referoureitem produkt / Tast a		otom lo ordez ses	chai asi come entregade
TEST		min	max	
A	Grain size for ASTM F112			6

Mechanical properties according to ASTM A370.

#### Analisi chimica

					Cham	ceho Zusammo	esetzony Com	rical Anchesida	שיני היו בבקורה			*******	 ,	garden symantic to 1 Pr
Courts Aleas	it'm .		1.50	12,00			09.3	-		0.25				
Seanwealtevio	0100 6,760	1.50	2.01	15.20	2.53	560	10.60		0:00	0.35	.0,425	*	 	1:
	C %	Si %	Mn %	Cr%	Mo %	Cu %	Ni %	Co%	P%	8%	21%			
286250	0,033	0,25	1.73	17,13	0.24	0,53	6,19	0,109	0.031	0,32	0,004			

Produced without class I-II Ozona depicting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 hAvater.

Micro and macro etch test: OK Reduction ratio = 25,1:1

Material is DFARS Compliant

7 01 110 v011101 providence 4.	in the contract of the contrac	No. 2 C . S. C.	
Vicenza,	14/07/15	Rectiandatore if anabiliment of der Werkssauhverstundige / Works inspector / L'affect d'unine	Duelou della
ACC613		M. Rizzottol/Keell	Pugina - 1 di 2
(Area, MCEX)	PERCOSON DO CATORIOLOGICAZO	Million Control of the Control of th	1
		The state of the second state of the second state of the second state of the second se	Andrew St. St. Company of the St.









CERTIFICATO DI COLLAUDO **ABNAHMEPRUEFZEUGNIS** INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004), 3.1

36100 VICENZA (Italia) - Visite della scienza, 25 z.). Telefono 0444 958211 - Fax 0444.953838 Stab : 30100 BOL ZANO (Hotin) - Via A. Volla, 4/37 Telefono 0471.924111 - Fax 0471.924497

CUALITY MANAGEMENT BYS CENTERATION BY LLOYO'S REGISTER

Avviso di Spedizione

Lettoreg: Propagation D.VI15019974

Ordino et: 43992 Result Your code: Contracto

Tino di Elaborazione: E+AOD descriptions and Make a program of the Superior and

Certificato nr: MEST722816/2015/ Prohing/facoBecal

Conferma ordine nr. El15001529 150

Westerführ Orderfriet no Merchio di Fabbrica

Zo chen ist Liebelman les Transcuria Ngje do fotos pracultic

Funzone del Colleudsicre: Stemps: \$51 Westascopensis of Fastoy of Injurish \$51 Westascopensis of Fastoy of

Sone state soddisfalls to the te condizioni diameste Ober problem and and europen stock is, vanlage estats.
The invalidation and entered in accommunity with the requirements.
Le material it wis frown out forms and evigences.

rolled

Produtore: ACCIAIERIE VALBRUNA S.P.A.

State of ferniture: Hot reflect Descaled Annealed Hot

Controllo entimescolanza: OK Vermochsking prohing: Special snelptische durrigeletat Antima fig testing performed. UK Cort die artisching fisht s.e.s. Controllo visivo e dimensionale: soddišla la esigenze

Enablinguity and quantitativity in the Beauthorist State of the State

Melled and manufactured in Haly

Ela! da Azasan

No welding or weld repair. Material free from Mercury contamination.

We declare that the finished product is encoked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified and, Pressure Equipment Directive 197/23/EC/ Annex 1,5,4,5 by TUEV and LLOYO'S Any act of tempering, modification, clieration, counterfelling engine faisification and/or any other action which modifies the contents of this test conficere shall constitute a wateren of applicable civil and criminal levis. Accidiorio Vallorina shall protect its rights and interests before any competent court, authority and jurisdiction. Marizal andicr Valphia gradesigneducts are manufactured with tadte techniques in central composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements exocilled by coffined norms and standards. Should, the product be used for more severe, critical and/or in any case different applications then those the material is generally blanded for, any different and/or supplementary requirements shall be specifically demanded, as least, upon order of the Product by the Purchaser. Accidence Valbruna SpA shall not be responsible for any imprapor use of the

Vicenza, 14/07/15 VCC012

Il collaudal ere di stabilimento il der Vierkesachverstärylige / Works inspector / L'agent d'usesa M. Rizzonol Kende

Capa MCEN ....

Pagina - 2 di 2

### **MATERIAL RECEIPT INSPECTION FORM**

MATERIAL: MT-41140-R1.500 DATE:	PO/BATCH NO.: 0383/3/5011027
QUANTITY RECEIVED: 1211  QUANTITY RESECTED: 1211  QUANTITY REJECTED: 0	THICKNESS ORDERED: 1.50  THICKNESS RECEIVED: 1.50  SHEET SIZE ORDERED: 1/A  SHEET SIZE RECEIVED: 1/A

	NO	CR	
DESCRIPTION	(Ch	eck	COMMENTS
	Y/	N)	
SURFACE DAMAGE	Y	W	
CORRECT FINISH	8	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	(1)	N	
CORRECT MATERIAL PER M-DRAWING	(8)	N	A15, 4140
CORRECT THICKNESS	(V)	N	
PHOTO REQUIRED	Y	W	/
CORRECT REF # TO LINK CERT	8	N	Heat # 182713
CORRECT MATERIAL IDENTFICATION	(0)	N	
CORRECT M# ON THE MATERIAL	8	N	
DOES THIS MATERIAL REQUIRE		0	
ENGINEERING SIGN OFF	Y	(1)	
DOES THIS REQUIRE AN		-	
EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF	MATERIAL A			SS CHECK.	
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	WEBSTER
SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING					-

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY:	PD	SIGNED OFF BY:
DATE:	DEC 0 5 2017	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

| MT-41L40-R | Area | A BY APPROVED AISI 41L40 LEADED STEEL ROUND BAR COPYRIGHT © 2017 BY DART AEROSPACE LTD
FOUR MODE CENTRAL MOST SUPPLIED ON HE CONTRAL HAS INTERNET THE MOST
FOR CHI COPY DOS COMPANIANTS TO APP OTE CHANKEN WIT EAST WITH THE THE 17.09.20 DATE DESCRIPTION 3 REV. V MT-41L40-R [D.DDD] WHERE "D.DDD" = DIAMETER IN INCHES EG, 5/8" ROUND BAR = MT-41L40-R0.625 SPECIFICATION CONTROL DRAWING PURCHASE MATERIAL: AISI 41L40 STEEL ROUND BAR AISI 41L40 SPECIFICATION: PART NUMBER:

0

O



Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

## **PURCHASE ORDER** PO038315

Tel (613) 632-5200

Supplier:

MES002-VC

**Metaux Solutions** 

2625 boul Jacques-Cartiier Est

Longueuil QC

J4N 1L7 Canada Phone: 800 558 8858 Fax: 514 633 8044

PO No:

PO038315

PO Date:

11/9/17

Due Date:

11/17/17

Purchase Order

Revision:

NOV 0 9 2017

Revision Date:

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada

Phone: 613-632-5200

Via:

Ground COD

Pymt Terms: Freight Terms:

Special Comments: QUOTE # 24929

					Items						
Line Item	Part	Rey	Description	Item Tax	Status	Due Date	Order Quantity	Received Quantity		Unit Price (CAD)	Extended Price
1	MT-41L40-R1.500	-/	AISI 41L40 Leaded Steel Round Bar 1.500" Dia. material: AISI 41L40 STEEL ROUND BAR PER AISI 41L40		Firmed	11/17/17	12 ft	126	12 ft	\$39.00/ft	\$468.00
2	M303B0.500X4.000	_	AISI 303 SS Bar 0.500" x 4.000" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft		Firmed	11/17/17	3 ft	0 ft	3 ft	\$131.6666/ft	\$395.00

#### **Order Notes**

**Procurement Quality Clauses** 

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.